

Strojírenský zkušební ústav, s.p. (Engineering Test Institute, Public Enterprise) Product Certification Body Hudcova 424/56b, 621 00 Brno, Czech Republic

issues

CERTIFICATE

Number: **B-03005-19**

Importer:

ABC - AMERICAN BOHEMIAN CORPORATION s.r.o.

Ledárenská 408/57 620 00 Brno - Holásky Česká republika

Company ID No:

60728159

Products:

Ventilation turbines

Type designation:

BIB (BEB) 12, BIB (BEB) 14, TIB (TEB) 12, TIB (TEB) 14, IB 8, BIB 8

Versions:

see Page 2

Manufacturer:

Lomanco, Inc.

2101 West Main Street, Jacksonville, Arkansas 72076

USA

The Engineering Test Institute, Public Enterprise, hereby certifies that the initial product type test of the products concerned has been performed in compliance with the requirements of Section 7 (2) of Government Regulation 163/2002 Coll. laying down technical requirements for selected construction products, as amended by Government Regulation 312/2005 Coll. and Government Regulation 215/2016 Coll., with a satisfactory result.

Normative documents applied:

Construction Technical Certificate 202-STO-B-02927-19 of 2019-10-17.

Certification scheme applied: ČSN EN ISO/IEC 17067:2014, Scheme 1a.

The present Certificate has been issued on the basis of Final Report on Initial Product Type Testing 30-14630/MZ of 2019-11-15, issued by the Engineering Test Institute, Public Enterprise. The Final Report contains conclusions drawn from the assessments and the product identification data.

The Certificate is valid **until 2022-11-30**, provided the holder does not violate the rules for using the Certificate.

This Certificate does not substitute for a relevant document issued by an authorized body.

The rules for using the Certificate are specified on Page 2.

Brno, 2019-11-29

B-03005-19 Page 1 (2)

Ing. Tomáš Hruška Director



Specification of the products and basic technical data:

Туре	BIB (BEB) 12	BIB (BEB) 14	TIB (TEB) 12	TIB (TEB) 14	IB 8	BIB 8
Head and ring material	aluminium	aluminium	aluminium	aluminium	aluminium	aluminium
Suction neck diameter [mm]	305	356	305	356	203	203
Head diameter [mm]	440	460	440	460	320	320
Weight	2.7	3	1.8	2	1.9	1.9
Max. wind speed [km/h]	120					
Allowable ambient temperature [°C]	from -30° C to + 60° C					

RULES FOR USING THE CERTIFICATE

This Certificate may only be used during the period of its validity and provided the provisions of the standards applied for certification of the products remain valid. If the normative documents applicable to the certificated product have changed or new normative documents have been issued, the usability of the Certificate must be reviewed.

The Certificate may only be used as a certificate for the products specified on Pages 1 and 2. This also applies to its use in advertising, promotional and commercial materials. Unauthorised or deceptive use of the Certificate may result in its withdrawal.

It is prohibited to change, amend or overwrite the data contained in the Certificate.

The Certificate may not be used for documenting the properties of the products changed without consent of the Engineering Test Institute in such a way that conformity with the applied standards has been affected.

Certification Body requires the holder of this Certificate to keep records of all the complaints and corrective actions relating to the products covered by this Certificate.

